

Additional sector guidance **Construction materials**

January 2025 Version 1.0

SICS[®] industry: Construction Materials (EM-CM)



Taskforce on Nature-related Financial Disclosures

tnfd.global



Contents

1.	Intro	duction	3
	1.1.	The purpose of this guidance	3
	1.2.	Audience for this guidance	5
2.	Sect	or-specific LEAP assessment guidance	7
	2.1.	Scoping a LEAP assessment	7
	2.2.	Locate the organisation's interface with nature	9
		L1: Span of the business model and value chain	9
		L2: Dependency and impact screening	13
		L3: Interface with nature	18
		L4: Interface with sensitive locations	18
		List of datasets and tools	19
	2.3.	Evaluate dependencies and impacts on nature	20
		E1: Identification of environmental assets, ecosystem services and impact drivers	20
		E2: Identification of dependencies and impacts	20
		E3: Dependency and impact measurement	36
		E4: Impact materiality assessment	36
	2.4.	Assess nature-related risks and opportunities	37
		A1: Risk and opportunity identification	37
		A2: Adjustment of existing risk mitigation and risk and opportunity management	41
		A3: Risk and opportunity measurement and prioritisation	42
		A4: Risk and opportunity materiality assessment	42
	2.5.	Prepare to respond and report	43
		P1: Strategy and resource allocation plans	43
		P2: Target setting and performance management	53
		P3: Reporting	53
		P4: Presentation	53
3.	Sect	or-specific disclosure metrics and related guidance – Construction materials	54
	3.1. (Guidance on the application of the core global disclosure metrics	56
	3.2. (Core sector disclosure indicators and metrics	68
	3.3.7	Additional sector disclosure indicators and metrics	69
4.	Refe	rences	72





1. Introduction

1.1. The purpose of this guidance

In September 2023, the TNFD published its recommendations for disclosure of naturerelated issues and supporting implementation guidance. This document provides sectorspecific additional guidance for the construction materials sector, covering:

- The assessment of nature-related issues using the TNFD's LEAP approach (Section 2); and
- The disclosure of sector-specific metrics in line with the TNFD's recommended approach to metrics (Section 3).

The TNFD's <u>Guidance on the identification and assessment of nature-related issues:</u> <u>The LEAP approach</u> is designed as an iterative process – across business locations and business lines – in line with established risk management processes and corporate reporting cycles. Organisations may choose to start with a narrow scope for a LEAP assessment, and gradually expand the scope of the assessment as they gain experience and insight.

The TNFD recognises that there can be significant differences across sectors for corporates applying the LEAP approach. It has published this additional guidance with significant input from a range of knowledge partners and market participants, to help construction materials sector participants apply the LEAP approach to their context. The overall structure of the LEAP approach is set out in Figure 1. This guidance follows that structure and Table 1 sets out the elements of LEAP for which this document provides additional guidance.

The Taskforce also recognises that investors and other stakeholders require quantitative information to compare performance and nature-related issues within sectors. To facilitate that sector-level analysis, this guidance also includes:

- Guidance on the application of the core global disclosure indicators and metrics to the construction materials sector (Section 3.1); and
- Core and additional sector disclosure indicators and metrics (Sections 3.2 and 3.3).

Figure 2 provides an overview of the TNFD disclosure measurement architecture and where indicators and metrics are listed in the <u>TNFD recommendations</u> and relevant sector guidance.



Figure 1: The TNFD approach for identification and assessment of nature-related issues – LEAP







Figure 2: TNFD disclosure metrics architecture signposted to metrics lists



The guidance in Section 3 on the application of the TNFD core global metrics for this sector, as well as the core and additional sector metrics outlined, expand on the disclosure indicators and metrics outlined in Annexes 1 and 2 of the <u>TNFD recommendations</u>. The TNFD has incorporated and sought to build on existing industry standards and disclosure metrics wherever possible to build on current data collection and reporting practices and minimise additional assessment and reporting costs.

1.2. Audience for this guidance

This guidance covers those organisations with business models or value chains in the Sustainable Industry Classification System (SICS®) Construction Materials industry (Box 1).¹ These are referred to as 'construction materials organisations' in this guidance.

Box 1 : SICS® industries in the scope of this guidance document

Construction Materials (EM - CM)

1 SASB (2018) SASB's Sustainable Industry Classification System (SICS).



Under the Sustainable Industry Classification System (SICS[®]) developed by the Sustainability Accounting Standards Board (SASB), Construction Materials fall under the Extractives and Mineral Processing sector. In this classification:

Construction materials entities have global operations and produce construction
materials for sale to construction entities or wholesale distributors. These primarily
include cement and aggregates, but also glass, plastic materials, insulation, bricks
and roofing material. Materials producers operate their own quarries, mining crushed
stone or sand and gravel. They may also purchase raw materials from the mining and
petroleum industries.²

This guidance focuses on cement and aggregates.

The guidance is a supplement to the TNFD's <u>Guidance on the identification and assessment</u> of nature-related issues: The LEAP approach and should be read in conjunction with that guidance. Organisations in the construction materials sectors should also refer to the <u>TNFD</u> biome guidance and Guidance on engagement with Indigenous Peoples, Local Communities and affected stakeholders.

The examples provided in this guidance for the construction materials sector are intended to be illustrative. They are not exhaustive, universally applicable or recommended by the TNFD as examples of measures for all organisations within the industry. Each company's context, location and nature-related interactions are unique. The TNFD encourages all companies to consult additional relevant sources, including scientific references and relevant industry standards or best practice guides, and conduct thorough assessments to identify and assess nature-related dependencies, impacts, risks and opportunities specific to their operations and value chains. This guidance aims to support, not replace, a tailored assessment, which will be necessary for each organisation.

Table 1: Areas of LEAP with additional guidance for the construction materials sector inthis guidance document

L1	\checkmark	E1	\checkmark	A1	\checkmark	P1	\checkmark
L2	\checkmark	E2	\checkmark	A2		P2	
L3	\checkmark	E3		A3		P3	
L4	\checkmark	E4		A4		P4	

2 SASB Standards (2023) Construction Materials.

Scoping

 \checkmark

Note: Companies producing wood-building products are included in the building products and furnishings (CG-BF) industry, forestry management industry (RR-FM), and pulp and paper products industry (RR-PP) under the Sustainable Industry Classification System (SICS) and are not included in the SASB Construction Materials standard. Organisations in these industries should refer to the <u>TNFD sector guidance for forestry, pulp and paper</u>.

2. Sector-specific LEAP assessment guidance

2.1. Scoping a LEAP assessment

Working hypothesis generation

What are the organisation's activities where there are likely material nature-related dependencies, impacts, risks and opportunities?

In creating initial hypotheses, organisations should bear in mind that nature-related dependencies, impacts, risks and opportunities will vary across the quarry lifecycle and across the lifecycle of the products extracted and produced. The scope of analysis for quarries should include the quarry itself but also:

- Other land owned or leased by the organisation on the site, including the non-quarried area;
- Buffer zones;
- Areas of rehabilitation or reclamation and reserved areas;
- Access roads, conveyor belts and transport routes that may contribute to habitat fragmentation or disrupt animal movement or migration, or disturb ecologically sensitive areas; and
- Wider areas linked to the site by ecological processes and environmental features such as rivers and streams.³

Scoping should not be limited to extraction from quarries, but also the extraction of other materials such as sand, manufacturing and downstream activities such as construction.

Organisations may want to consult existing quarry environmental impact assessments and rehabilitation or reclamation plans, and product lifecycle analyses to support development of hypotheses for nature-related dependencies, impacts, risks and opportunities.⁴

³ IUCN (2014) Biodiversity management in the cement and aggregates sector: Integrated Biodiversity Management System (IBMS).

⁴ GCCA (2023) A commitment to biodiversity by the cement and concrete industry.





Value chain considerations when scoping

Construction materials organisations may operate across many different sites and have many different suppliers and consumers across their value chains with significant potential nature-related dependencies and impacts.

Construction materials organisations may therefore choose to start with a narrow scope, such as a selection of high priority sites or areas of the value chain where material nature-related dependencies, impacts, risks and opportunities are most likely to arise. The LEAP approach is designed as an iterative process, in line with established risk management processes and corporate reporting cycles, and organisations should expand the breadth and depth of the assessment over time as they gain experience and maturity in applying the process. Further guidance is available in the <u>TNFD guidance on value chains</u>.

Construction materials organisations may find it useful to consider:

- New and any existing effective ways of interacting with upstream and downstream partners along the value chain in order to obtain the required nature-related information; and
- Partnering with other construction materials organisations to understand nature-related dependencies, impacts, risks and opportunities within the value chain.

Organisations should also refer to the <u>TNFD sector guidance</u> for the forestry, pulp and paper, engineering, construction and real estate sectors, as well as any other relevant sectors in the value chain.

Goals and resource alignment

Given the current level of capacity, skills and data within the organisation and given the organisational goals, what are the resource (financial, human and data) considerations and time allocations required and agreed for undertaking an assessment?

As for all components, refer to the <u>Guidance on the identification and assessment of nature-</u>related issues: The LEAP approach.







2.2. Locate the organisation's interface with nature

This section provides additional guidance to help construction materials sector organisations with the Locate phase of the LEAP approach.

L1 L1: Span of the business model and value chain

Guiding questions:

What are our organisation's activities by sector, value chain and geography? Where are our direct operations?

The construction materials value chain

Figure 3 illustrates the typical activities and commodities across the value chain that construction materials organisations should consider as part of their value chain mapping. The TNFD recognises that the activities that are part of direct operations, upstream or downstream for an individual company will vary depending on its specific business.

When mapping out the value chain, organisations should include the full lifecycle of their quarries – including closed and/or exhausted quarries, sites reserved for future use and temporarily dormant quarries⁵ – as well as any processing and manufacturing activities in direct operations, and the full lifecycle of the materials produced.

5 IUCN (2014) <u>Biodiversity management in the cement and aggregates sector: Integrated Biodiversity</u> <u>Management System (IBMS)</u>.



Figure 3: Typical business activities in the value chain of the construction materials sector

Upstream	Direct operations	Downstream	End of life
Feedstock and raw materials procurement	Exploring, sand dredging, quarrying	Engineering and construction	Waste management
Chemicals	Minerals	Transport and distribution	Recycling, repurposing, repairing
Forestry products and natural substances	Rocks		
Fossil fuels	Aggregates	Other/further use	Final disposal
Metals and minerals	\checkmark		
Recycled raw materials e.g. supplementary cementitious materials	Quarry closure and rehabilitation		
Regeneratively produced materials	Construction materials production		
Renewable raw materials	Cement and concrete, glass,		
Waste	plastic materials, insulation, bricks and roofing materials		
nfrastructure provision	Product packaging		
· .			
e.g. access roads, railways and other transport	Waste heat recovery, waste management and reuse,		
Energy supply	wastewater management		
- 67 - 1997	Recycling cement, aggregates	and other materials	Кеу
Nater supply			Activitie Commo

Locating direct operations

When identifying the location of direct operations, organisations should strive to move beyond point coordinates to polygons of quarries, other material extraction sites and manufacturing plants. Where possible, organisations should also include:

- Notional and ecologically determined buffer zones of at least 500m from the site boundary;⁶
- Areas of rehabilitation or reclamation and reserved areas;
- Access roads, conveyor belts and transport routes that may contribute to habitat fragmentation or disrupt animal movement or migration, or disturb ecologically sensitive areas;

⁶ IUCN (2014) Biodiversity management in the cement and aggregates sector: Integrated Biodiversity <u>Management System (IBMS)</u>. The guidance on how to use the Species Threat Abatement and Restoration (STAR) metric recommends applying "a sufficiently large buffer (e.g. 50km) around the perimeter of an Area of Interest." IBAT (2021) <u>Species Threat Abatement and Restoration (STAR) data layer: Business User Guidance</u>.

- Wider areas ecologically and physically connected to the site, for example, through environmental features such as rivers and streams, wider river basins, oceans or forest ecosystems as appropriate; and
- The wider landscape, to allow evaluation and assessment of nature-related dependencies, impacts, risks and opportunities within that landscape and comprehensive stakeholder engagement.⁷

Organisations should iterate this work with analysis in the Evaluate phase to understand how nature-related dependencies and impacts can arise beyond the site boundary. Box 2 provides further guidance on identifying the area of influence of a site for the purposes of a LEAP assessment.

Box 2: Area of influence

Nature-related dependencies and impacts can arise beyond the boundary of an organisation's site as a result of ecological processes and flows that link the site with the wider landscape and beyond. These linkages result in an 'area of influence' (see Figure 4). A site's area of influence is generally larger than the physical footprint of the project itself and includes the area within which a project may potentially directly, indirectly and cumulatively cause impacts or have dependencies on nature.

The size of the area will vary depending on the organisation's activities and/or assets, and the biome where it is operating, but will usually be much larger than the site itself (see Figure 4). The area will include:

- Locations where the organisation has an impact beyond the site boundary, for example, where the movement of aggregates from the quarry to another location inadvertently introduces invasive species to another ecosystem; and
- Environmental assets on which the organisation directly or indirectly depends, such as the supply of clean water from a river that originates in a lake that is being polluted by the activities of other actors upstream.

Construction materials organisations should pay particular attention to karst formations, where ecological and hydrological connections may be particularly complex,⁸ and to sand extraction from rivers, which can alter freshwater and sediment discharge downstream and affect delta formation.⁹

Taskforce on Nature-related Financial Disclosures

⁷ IUCN (2014) <u>Biodiversity management in the cement and aggregates sector: Integrated Biodiversity Management</u> <u>System (IBMS)</u>.

⁸ IUCN (2014) <u>Biodiversity management in the cement and aggregates sector: Integrated Biodiversity Management</u> System (IBMS).

⁹ Jordan, C. et al. (2019) Sand mining in the Mekong Delta revisited – current scales of local sediment deficits.

Ν

External factors and cumulative effects should also be considered, for example resulting from the activities of other organisations with overlapping areas of influence, policies and economic conditions generated outside the landscape, land use in neighbouring landscapes and remote physical features (e.g. dams).

Engagement with Indigenous Peoples, Local Communities and affected stakeholders can provide further insights, and organisations may find it useful to refer to the TNFD's Guidance on engagement with Indigenous Peoples, Local Communities and affected stakeholders.

A comprehensive approach to outlining a project's area of influence is included in good practice guidelines such as IFC Performance Standard 6.




Figure 4: Ecological connections between a quarry site and the wider landscape

Source: IUCN (2014) Biodiversity management in the cement and aggregates sector: Integrated Biodiversity Management System (IBMS).





L2 L2: Dependency and impact screening

Guiding question:

Which of these sectors, value chains and direct operations are associated with potentially moderate and high dependencies and impacts on nature?

In L2, organisations should filter the list of upstream and downstream activities and commodities identified in L1 to prioritise which should be considered for further analysis.

Tables 2 and 4 provide the ENCORE materiality ratings for impact drivers and ecosystem services associated with construction materials activities. Table 3 provides the typical impact drivers associated with construction material commodities identified by Science Based Targets Network (SBTN) as associated with high impacts on nature. Construction materials organisations should refer to the associated <u>TNFD sector guidance</u> and ENCORE materiality ratings for screening activities in other value chain sectors where available (e.g. transport).

Construction materials organisations may choose additional prioritisation criteria, reflecting the specificities of their locations and activities.



Table 2: Materiality ratings of ecosystem services the construction materials sector typically depends on

Ecosystem services		Quarrying of stone, sand and clay	Support activities for other mining and quarrying	Installation of industrial machinery and equipment	Manufacture of non-metallic mineral products n.e.c.	Manufacture of other chemical products
Provisioning	Water supply	High	Medium	Medium	Medium	Medium
services	Genetic material	N/A	N/A	N/A	N/A	N/A
	Other provisioning services – Animal-based energy	Low	N/A	N/A	N/A	N/A
	Biomass provisioning	Low	N/A	N/A	N/A	N/A
Regulating &	Solid waste remediation	ND	ND	ND	Medium	Medium
maintenance services	Soil and sediment retention	High	Medium	Medium	Low	Medium
	Water purification	Very high	Medium	N/A	Medium	Medium
	Soil quality regulation	N/A	N/A	N/A	N/A	N/A
	Other regulating and maintenance service – Dilution by atmosphere and ecosystems	Medium	Very low	ND	Low	Low
	Biological control	N/A	N/A	N/A	N/A	N/A
	Air filtration	Very low	Very low	Very low	Very low	Very low
	Flood mitigation	High	Low	Medium	Medium	Medium
	Global climate regulation	High	Low	Very low	Very low	Very low
	Nursery population and habitat maintenance	N/A	N/A	N/A	N/A	N/A



Ecosystem services		Quarrying of stone, sand and clay	Support activities for other mining and quarrying	Installation of industrial machinery and equipment	Manufacture of non-metallic mineral products n.e.c.	Manufacture of other chemical products
Regulating &	Noise attenuation	Very low	Very low	Very low	Very low	Very low
maintenance services	Other regulating and maintenance service – Mediation of sensory impacts (other than noise)	Low	Low	Very low	Very low	Very low
	Local (micro and meso) climate regulation	Low	Very low	Low	Low	Low
	Pollination	N/A	N/A	N/A	N/A	N/A
	Storm mitigation	Medium	Medium	Medium	Medium	Medium
	Water flow regulation	High	Medium	Medium	Medium	Medium
	Rainfall pattern regulation	Very high	High	Very low	Low	N/A
Cultural	Recreation-related services	N/A	N/A	N/A	N/A	N/A
services	Visual amenity services	N/A	N/A	N/A	N/A	N/A
	Education, scientific and research services	N/A	N/A	N/A	N/A	N/A
	Spiritual, artistic and symbolic services	N/A	N/A	N/A	Very high	N/A

N/A = Non-applicable

ND = No data

n.e.c. = Not elsewhere classified

Source: ENCORE Partners (Global Canopy, UNEP FI, UNEP-WCMC) (2024) ENCORE: Exploring Natural Capital Opportunities, Risks and Exposure.





Table 3: Impact drivers associated with construction material commodities

Commodity	Impact drivers
Cement	Land ecosystem use
	Greenhouse gas (GHG) emissions
	Water pollutants
	Soil pollutants
	Water use
	Other resource use
Sand (construction grade)	Freshwater ecosystem use
	Ocean ecosystem use
	Water pollutants
	Soil pollutants

Source: SBTN (2023) High Impact Commodity List v1.



Table 4: Materiality ratings for impact drivers typically relevant for the construction materials sector

Drivers of nature change	Impact drivers	Quarrying of stone, sand and clay	Support activities for other mining and quarrying	Manufacture of other chemical products	Manufacture of non-metallic mineral products n.e.c.	Installation of industrial machinery and equipment
Land, freshwater and ocean use	Land ecosystem use	Medium	Medium	Low	Low	Low
change	Freshwater ecosystem use	High	Medium	N/A	Medium	N/A
	Ocean ecosystem use	High	ND	N/A	N/A	Medium
Climate change	Greenhouse gas (GHG) emissions	High	High	Medium	High	Medium
Pollution/pollution removal	Non-GHG air pollutants	High	High	Medium	High	Medium
	Toxic soil and water pollutants	High	Very high	Very high	Very high	Low
	Nutrient soil and water pollutants	ND	ND	N/A	Medium	N/A
	Solid waste	Low	Medium	Medium	Medium	Low
	Disturbances (e.g. noise, light)	High	Very high	Very high	Medium	Very high
Resource use/replenishment	Water use	Medium	Medium	Medium	Medium	Medium
	Other biotic resource extraction (e.g. fish, timber)	ND	N/A	N/A	N/A	N/A
	Other abiotic resource extraction	Very high	Medium	N/A	N/A	N/A
Invasive alien species introduction/removal	Introduction of invasive alien species	Very low	Low	N/A	N/A	Low

N/A = Non-applicable, ND = No data, n.e.c = Not elsewhere classified

Source: ENCORE Partners (Global Canopy, UNEP FI, UNEP-WCMC) (2024) ENCORE: Exploring Natural Capital Opportunities, Risks and Exposure.





L3: Interface with nature

Guiding questions:

Where are the sectors, value chains and direct operations with potentially moderate and high dependencies and impacts located?

Which biomes and specific ecosystems do our direct operations, and moderate and high dependency and impact value chain and sectors, interface with?

In this component, an organisation identifies the locations of activities and commodities in its direct operations and those in the value chain prioritised in L2. It then associates these and the locations of direct operations with biomes and ecosystems.

When identifying locations, organisations should iterate with the Evaluate phase to understand how dependencies and impacts on nature can arise beyond the site boundary, interfacing with other biomes and ecosystems. Organisations should also consider the guidance on locating activities provided under L1 and areas of influence in Box 2, where relevant.

Where individual downstream users cannot be identified, organisations may want to consider analysing the distribution of construction materials across sectors for each market where they operate. This will allow initial identification of potentially high dependency or impact downstream activities for further analysis.

Identification of biomes and ecosystems

Organisations may also refer to the <u>TNFD biome guidance</u> for further guidance when analysing their interfaces with these biomes, particularly the guidance on rivers and streams for organisations with sand dredging in their value chains. Organisations should consider the possible interfaces with subterranean ecosystems such as underground rivers and springs.¹⁰

L4: Interface with sensitive locations

Guiding questions:

For our organisation's activities in moderate and high dependency and impact value chains and sectors, which of these are in ecologically sensitive locations? And which of our direct operations are in sensitive locations?

Table 5 sets out how some of the biomes and ecosystems that construction materials organisations typically interact with may meet the criteria for sensitive locations. Construction materials organisations should consider the wider context around the site when assessing sensitivity. An isolated, small forest on limestone surrounded by farmland may be more important for species than a quarry site in a small part of a larger forest of similar type.¹¹

¹⁰ IUCN (2014) <u>Biodiversity management in the cement and aggregates sector: Integrated Biodiversity</u> <u>Management System (IBMS)</u>.

¹¹ IUCN (2014) <u>Biodiversity management in the cement and aggregates sector: Integrated Biodiversity</u> <u>Management System (IBMS)</u>.



Organisations should iterate between the Locate and Evaluate phases to understand the environmental assets beyond the site boundary that the organisation has dependencies and impacts on and may be in sensitive locations. Organisations should refer to the <u>TNFD</u> guidance on the LEAP approach for further detail on identifying sensitive locations.

Table 5: Considerations for the construction materials industry in identifying sensitive locations

Natural features	Considerations for identifying sensitive locations
Karst ecosystems	Karst ecosystems are characterised by systems of underground streams and caves, enclosed depressions, dry valleys, gorges, prominent rock outcrops and large springs.
	Biodiversity importance: Karst ecosystems often harbour unique (often endemic) cave fauna and flora ¹² and so are likely to be classified as of biodiversity importance. The importance for species can be exacerbated by restrictions to those species' ranges as a result of agricultural expansion and intensification.
	Ecosystem integrity: Agricultural expansion and intensification around karst landscapes can contribute to a decline in ecological integrity in the karst landscape itself.
Rivers and streams	Ecosystem integrity: Sand dredging can contribute to a decline in ecosystem integrity in rivers all the way down to the river delta or estuary as a result of unsustainable sediment extraction. Organisations should consider whether rivers in their value chain are experiencing a rapid decline in integrity and are therefore classed as sensitive.

List of sources of further information, datasets and tools

- TNFD <u>Guidance on engagement with Indigenous Peoples, Local Communities and</u> <u>affected stakeholders</u> can support meaningful and effective engagement, for example, to help determine sensitive locations and values of nature
- Global Lakes and Wetlands Database
- Integrated Biodiversity Assessment Tool (IBAT)
- UN Biodiversity Lab
- WRI Aqueduct
- WWF Biodiversity Risk Filter
- WWF Water Risk Filter
- USGS Karst Resources

Further tools are provided in the <u>TNFD</u> guidance on the LEAP approach, the <u>TNFD</u> Tools <u>Catalogue</u>, and <u>SBTN's Step 1 Toolbox</u>.

¹² IUCN (2014) <u>Biodiversity management in the cement and aggregates sector: Integrated Biodiversity Monitoring</u> System (IBMS).







2.3. Evaluate dependencies and impacts on nature

This section provides additional guidance to help construction materials industry organisations with the Evaluate phase of the LEAP approach.

E1: Identification of environmental assets, ecosystem services and impact drivers

Guiding questions:

What are the business processes and activities to be analysed? What environmental assets, ecosystem services and impact drivers are associated with these business processes, activities and assessment locations?

Guidance for components E1 and E2 is provided together under E2.

E2: Identification of dependencies and impacts

Guiding question:

What are our dependencies and impacts on nature?

This section focuses primarily on dependencies and impacts in construction materials organisations' direct operations. Organisations should refer to the relevant <u>TNFD sector</u> <u>guidance</u> for forestry, pulp and paper, metals and mining, and construction, engineering and real estate for dependencies and impacts upstream and downstream. Engagement with Indigenous Peoples, Local Communities and affected stakeholders can provide further insights, and organisations may find it useful to refer to the TNFD's <u>Guidance on engagement</u> with Indigenous Peoples, Local Communities and affected stakeholders.

Impacts

Table 6, Table 7 and Table 8 provide examples of negative impact pathways for quarrying, sand extraction and cement manufacturing. These tables describe impacts on different environmental assets, but the organisation will need to consider how these apply to their specific locations and their areas of influence. Organisations should note that the example environmental assets and environmental services outlined in these tables are non-exhaustive and that others not listed may also be relevant.

Tables 3 and 4 in the guidance for the Locate phase in this document also provide a list of impact drivers typically associated with the construction materials industry. These tables present global sector averages. Actual dependencies will vary for individual production processes across the value chain, commodities and geographical contexts.





Table 6: Examples of negative impact pathways for quarrying

Drivers of nature loss	Example environmental assets and ecosystem services affected	Description of impact
Land, freshwater and ocean use change Land ecosystem use: Quarrying requires land clearance and consequent destruction of habitats to allow the development of production and extraction sites. Further indirect land-use change arises from the construction of access roads and other auxiliary infrastructure and the increased access to the area this creates for wider human activities.	 Environmental assets Land Terrestrial and subterranean ecosystems Ecosystem services Local biomass provisioning Pollination Biological control Soil and sediment retention Flood mitigation Nursery population and habitat maintenance Local and global climate regulation Genetic materials Cultural services 	Terrestrial and subterranean habitats will be altered by the extraction, management and rehabilitation or reclamation phases of quarrying. This can disrupt ecosystems and ecological functions due to reduced habitat extent, increased erosion and habitat degradation. Land-use change can also cause habitat fragmentation, which impedes species' feeding and reproduction patterns, reducing populations and increasing extinction risk. These changes can have knock-on effects on ecosystem services, including cultural services. Land-use change can lead to the displacement of communities for new asset construction or transportation routes. It may also cause disruption and/or damage to local sacred areas. Consultation with stakeholders from affected communities will highlight these concerns and allow impacts on these resources to be assessed.





Drivers of nature loss	Example environmental assets and ecosystem services affected	Description of impact
Pollution/pollution removal Non-GHG air pollutants: Quarrying activity can create dust pollution.	Environmental assets Atmospheric systems Terrestrial land-based ecosystems Freshwater ecosystems Marine ecosystems Ecosystem services Pollination Biological control Nursery population and habitat maintenance	Dust can lead to degradation of the quality of the surrounding atmospheric systems and ecosystems. This can affect local ecosystems by decreasing the quality of land, contaminating plants and affecting the health of animals. This in turn can disrupt ecosystem service provision such as pollination, biological control, nursery population and habitat maintenance and cultural services. Pollution may also lead to the worsening health and living conditions of surrounding local communities. Local air currents will influence which ecosystems might be affected.
 Pollution/pollution removal Water pollutants: Discharged water from quarrying processes may have: Higher temperature; Increased acidity; Elevated concentrations of heavy metals such as arsenic, cobalt, copper, cadmium, lead, silver and zinc from excavated rock; Suspended solids as a result of erosion of exposed earth; and Other pollutants. 	Cultural services Environmental assets Subterranean freshwater ecosystems Freshwater ecosystems Water resources Ecosystem services Water flow regulation Water supply Water purification Biological control Nursery population and habitat maintenance Cultural services	Changes in water temperature can affect the health of aquatic organisms living in the habitat, support the spread of disease and create the conditions for invasive species. Increased acidity can be harmful to aquatic organisms. Heavy metals can also cause serious health problems for aquatic organisms and the people that consume them or the water. Excessive sediment can clog riverbeds and smother watershed vegetation, wildlife habitat and aquatic organisms.





Drivers of nature loss	Example environmental assets and ecosystem services affected	Description of impact
Pollution/pollution removal Disturbances: Noise and light pollution. Species can be affected by noise and light pollution during routine operation (e.g. extraction processes, movement of vehicles) and if the facilities are lit.	Environmental assets Terrestrial land-based ecosystems Ecosystem services Pollination Biological control Nursery population and habitat maintenance Cultural services	Wildlife may be disturbed by increased human access and noise from blasting and quarry traffic.
Resource use/replenishment Water use: Water is used across the lifecycle of the quarry including for aggregate and sand washing, to wash the extracted materials, for vehicle cleaning and dust cloud suppression. It is usually extracted either from a local freshwater body or obtained from the quarry dewatering process required to create dry extraction areas.	Environmental assets Subterranean freshwater ecosystems Freshwater ecosystems Water resources Ecosystem services Water flow regulation Water supply Water purification Biological control Nursery population and habitat maintenance Cultural services	Water extraction can lead to the dewatering of aquifers, subterranean freshwater ecosystems and the depletion of other water resources, especially in arid and drought-prone areas. Quarry dewatering may affect the groundwater level. These activities can lead to reduced water flow regulation and increased drought severity and frequency. Such water use affects the supply of water to other users – households, fishing, aquaculture and agriculture – and to nature, with many ecosystem services affected, including water purification, water flow regulation, water supply and recreation-related services.



Drivers of nature loss	Example environmental assets and ecosystem services affected	Description of impact
 Invasive species introduction/removal Introduction of invasive species: Quarries and quarrying can contribute to the establishment of invasive alien plant species through: Changes in the environmental conditions on-site as a result of the quarry itself favouring certain species over others or altering water flows leading to the spread of plant material to new locations; Vehicle movements and movement of materials containing plant material to new locations; and Inappropriate planting of non-native species. 	Environmental assets Terrestrial land-based ecosystems Freshwater ecosystems <i>Ecosystem services</i> Pollination Biological control Genetic material Nursery population and habitat maintenance, Cultural services	Change in the structure and function of ecological communities due to the arrival of new species.

Sources: CEMBUREAU (2022) Biodiversity Roadmap; Ekpo, F. (2013) Influence of heavy metals concentration in three common fish, sediment and water collected within guarry environment, Akamkpa L.G. area, Cross River State, Nigeria; GCCA (2019) GCCA Sustainability Guidelines for the monitoring and reporting of water in cement manufacturing; Ipeaiyeda, A. R. and Obaje, G. M. (2016) Impact of cement effluent on water quality of rivers: A case study of Onyi river at Obajana, Nigeria; IUCN (2014) Biodiversity management in the cement and aggregates sector: Integrated Biodiversity Management System (IBMS); Safe Drinking Water Foundation (2017) Mining and water pollution; Wałkuska, G. and Wilczek, A. (2010) Influence of Discharged Heated Water on Aquatic Ecosystem Fauna; WEF (2023) Nature Positive: Role of the Cement and Concrete Sector.



Table 7: Example negative impact pathways for sand extraction from river and marine environments

Drivers of nature loss	Example environmental assets and ecosystem services affected	Description of impact
Land, freshwater and ocean use change Freshwater use change: Sand is a key input for cement and concrete production. An estimated 32 to 50 billion tonnes of aggregates (mostly sand, gravel and stones) are extracted every year. It is often extracted from rivers, but marine sand is also used.	Environmental assets Freshwater ecosystems Underwater mineral resources Ecosystem services Water flow regulation Biological control Nursery population and habitat maintenance Soil and sediment retention Flood mitigation Cultural services	 Dredging rivers lowers the riverbed and surrounding water table. Mining sand in river floodplains can also alter the river's course. When not well managed, this sand extraction: Destroys habitats, including the delta downstream as sediment flows are disrupted; Affects aquatic species, with changes to the aquatic species' ability to migrate through rivers that can prevent their reproduction and affect feeding patterns; Increases the incidence and severity of droughts as streams and tributaries of major rivers dry up as a result of the sediment removal; Lowers water quality through increased sediment suspension; Increases erosion; and Affects downstream communities through reduced access to water, increased water purification costs and reduced fish populations. Overly mined ecosystems can be very slow or even unable to recover, diminishing the availability of mineral resources over the long term.





Drivers of nature loss	Example environmental assets and ecosystem services affected	Description of impact
Land, freshwater and ocean use change	Environmental assets	Marine and coastal sand dredging can:
Ocean-use change: 6 billion tonnes of construction sand are extracted each year from marine and coastal environments.	Marine ecosystemsUnderwater mineral resourcesEcosystem servicesBiological controlNursery population and habitat maintenanceFlood mitigationCultural services	 Increase seawater turbidity; Alter aquatic nutrient availability; Contribute to the salinisation of freshwater aquifers; and Contribute to coastal erosion, affecting coastal communities coastal defences and offshore energy infrastructure.
Pollution/pollution removal Solid waste: Some sand miners dispose of sand mining waste on open land areas and riverbeds.	Environmental assets Terrestrial, freshwater and marine ecosystems Ecosystem services Water flow regulation Nursery population and habitat maintenance Soil quality regulation Water purification Cultural services	Solid waste contributes to the degradation of the environmental assets where it is disposed of and disrupts the ecosystem services those assets provide.





Drivers of nature loss	Example environmental assets and ecosystem services affected	Description of impact
Pollution/pollution removal Disturbances: Noise pollution.	<i>Environmental assets</i> Terrestrial land-based ecosystems Freshwater ecosystems Marine ecosystems	The extraction of sand from rivers and the marine environment can contribute to noise pollution in these ecosystems, affecting species' behaviour.

Sources: Katz-Lavigne, S. et al. (2021) Mapping Global Sand: Extraction, research and policy options; UNEP (2022) Sand and Sustainability: 10 strategic recommendations to avert a crisis; UNEP (2023) Marine Sand Watch reveals massive extraction in the world's oceans; WEF (2023) Nature Positive: Role of the Cement and Concrete Sector; WWF (2018) Impacts of sand mining on ecosystem structure, process & biodiversity in rivers.





Table 8: Example negative impact pathways for cement manufacturing

Impact drivers	Example environmental assets and ecosystem services affected	Description of impact
 Pollution/pollution removal Non-GHG air pollutants: Pollutants released during the manufacture of clinker for cement, include: Sulphur dioxide (SO₂) and nitrogen oxide (NO_x) created by the kiln and drying operations; Volatile organic compounds (VOCs) from stored gasoline, solvents and other industrial chemicals, and incomplete combustion; and Dust from the raw mills, the kiln system, the clinker cooler and the cement mills. 	Environmental assets Atmospheric systems Terrestrial and subterranean land-based ecosystems Freshwater and subterranean freshwater ecosystems Marine ecosystems <i>Ecosystem services</i> Local (micro and meso) climate regulation Rainfall pattern regulation Biological control Pollination	 Non-GHG air pollutants can lead to the degradation of the quality of the surrounding atmospheric systems and ecosystems. Sulphur dioxide (SO₂) and nitrogen oxide (NO_x) are primary contributors to acid deposition or acid rain. Dust formation can disrupt local ecosystems by decreasing the quality of land, disrupting pollination, contaminating plants and affecting the health of animals. Pollution may also lead to the worsening health and living conditions of surrounding local communities. Organisations should consider local air currents to determine which ecosystems might be affected.





Impact drivers	Example environmental assets and ecosystem services affected	Description of impact
 Pollution/pollution removal Water pollutants: Discharged water from manufacturing processes may have: Temperature changes; Acidity changes; Increased suspended solids content; Metal pollutants (Co, Cd, Cr, Cu, Ni, Pb and Zn); Increased chemical oxygen demand (COD), which can be above standard for effluent discharge into surface water near cement plants; and Elevated phosphates and nitrates due to detergents used for washing. 	Environmental assets Freshwater and subterranean freshwater ecosystem Water resources Terrestrial and subterranean terrestrial ecosystems <i>Ecosystem services</i> Water flow regulation Water supply Water purification Biological control Nursery population and habitat maintenance Soil and sediment retention	Changes in water temperature can affect the health of aquatic organisms living in the habitat, support the spread of disease and create the conditions for invasive species. Increased acidity can be harmful to aquatic organisms. Excessive sediment can clog riverbeds and smother watershed vegetation, wildlife habitat and aquatic organisms. Heavy metals can also cause serious health problems for aquatic organisms and the people that consume them.
	Flood mitigation Cultural services	





Impact drivers	Example environmental assets and ecosystem services affected	Description of impact
Pollution/pollution removal Soil pollutants: Manufacturing activities can result in the pollution of soil, through deposits of cement kiln dust, dioxins and heavy metals.	Environmental assets Terrestrial land-based ecosystems Freshwater ecosystems Marine ecosystems <i>Ecosystem services</i> Water flow regulation Biological control Nursery population and habitat maintenance, Soil and sediment retention Flood mitigation Cultural services	 Soil pollutants can cause changes to soil structure and organic content and affect wildlife. Cement kiln dust can be created when exhaust gas passes through the pulverised material, resulting in a dispersion of gas and particles, including particulate matter (PM) pollutants. This can have a negative impact on human and animal health, depending on particle size, concentration, exposure time and the presence of toxic substances such as acids, metals, organic particles and other hazardous air pollutants (HAPs). Dioxins are a group of chemically related compounds that are persistent environmental pollutants (POPs). Dioxins can cause reproductive and developmental problems and suppress immune function in animals and humans. Their half-life in the human body is estimated to be 7 to 11 years and long-term exposure is linked to impairment of the immune system, the developing nervous system, the endocrine system and reproductive functions. Heavy metals remain in the soil for a long period and alter the soil pH, colour, porosity and natural chemistry, damaging the health of plants and the people and animals that feed on them. Soil pollutants may runoff in stormwater and affect freshwater and marine ecosystems and the supply of clean water to downstream communities.





Resource use/replenishmentEnvironmental assetsWater use can lead to the dewatering of aquifers, subterranean freshwater ecosystems and the depletion of other water resources, especially in arid and drought-prone areas. Additionally, quarry dewatering may have an impact on the groundwater level, affecting freshwater ecosystems.Water use concrete production is responsible of otal global water withdrawal. By 2050, 75% of the water demand for concrete production is expected to occur in regions likely to experience water stress. Other than at the quarrying stages, most water withdrawal occurs during the midstream production of products like clinker, cement and concrete. In particular, water is used for cooling equipment and exhaust gases, for wet-process kilns (almost entirely replaced by more efficientEnvironmental assetsWater use can lead to the dewatering of aquifers, subterranean freshwater ecosystems areas. Additionally, quarry dewatering may have an impact on the groundwater level, affecting freshwater ecosystems.	Impact drivers	Example environmental assets and ecosystem services affected	Description of impact
dry-process technologies), for aggregate washing Cultural services and for the manufacturing of concrete.	Water use: Concrete production is responsible for 9% of global industrial water withdrawal or 1.7% of total global water withdrawal. By 2050, 75% of the water demand for concrete production is expected to occur in regions likely to experience water stress. Other than at the quarrying stages, most water withdrawal occurs during the midstream production of products like clinker, cement and concrete. In particular, water is used for cooling equipment and exhaust gases, for wet-process kilns (almost entirely replaced by more efficient dry-process technologies), for aggregate washing	Subterranean freshwater ecosystems Freshwater ecosystems Water resources <i>Ecosystem services</i> Water flow regulation Water supply Biological control Nursery population and habitat maintenance	subterranean freshwater ecosystems and the depletion of other water resources, especially in arid and drought-prone areas. Additionally, quarry dewatering may have an impact on the groundwater level, affecting freshwater ecosystems. This can lead to reduced water flow and increased drought severity and frequency. Such water-use affects the supply of water to other users – households, aquaculture and agriculture – and to nature, with many ecosystem services affected, such as water flow regulation, water supply and





Impact drivers	Example environmental assets and ecosystem services affected	Description of impact
Resource use/replenishment Use of non-renewable natural resources: Non- renewable resources to produce cement and concrete include: limestone, shale, clay, hard crushed rock, sand and gravel. Global aggregate production is currently estimated at 40 to 45 billion tonnes, with more than 50 billion tonnes of sand extracted globally every year.	Environmental assets Terrestrial land-based ecosystems Mineral and energy resources Underground mineral and energy resources Freshwater ecosystems Ecosystem services Water flow regulation Biological control Nursery population and habitat maintenance Soil and sediment retention Flood mitigation Cultural services	Ecosystem services affected by extraction of non-renewable natural resources include soil and sediment retention, flood mitigation, water flow regulation and nursery population and habitat maintenance.



Impact drivers	Example environmental assets and ecosystem services affected	Description of impact
Pollution/pollution removal Disturbance: Noise and light pollution. Noise emissions occur throughout the whole cement manufacturing process, particularly from heavy machinery chutes and hoppers; any operations involving the crushing and milling of raw materials, as well as fuels, clinker production; exhaust fans;	Environmental assets Terrestrial land-based ecosystems Ecosystem services Pollination Biological control Nursery population and habitat maintenance	Species can be disturbed by noise and light pollution, with impacts on ecosystem services.
blowers and duct vibrations.	Cultural services	

Sources: Bakri, A. Y. et al. (2022) Cement Kiln Dust (CKD) Potential Beneficial Applications and Eco-Sustainable Solutions; Briffa, J. et al. (2020) Heavy metal pollution in the environment and their toxicological effects on humans; Ciobanu, C. et al. (2021) Dust Emission Monitoring in Cement Plant Mills: A Case Study in Romania; GCCA (2019) GCCA Sustainability Guidelines for the monitoring and reporting of water in cement manufacturing; Gupta, R. K. et al. (2020) Particulate matter and elemental emissions from a cement kiln; Ipeaiyeda, A. R. and Obaje, G. M. (2016) Impact of cement effluent on water quality of rivers: A case study of Onyi river at Obajana, Nigeria; IUCN (2014) Biodiversity management in the cement and aggregates sector: Integrated Biodiversity Management System (IBMS); Mayes, W. M. et al. (2008) Hydrogeochemistry of Alkaline Steel Slag Leachates in the UK; Panagoda, S. S. et al. (2023) Cement Manufacturing Process and Its Environmental Impact; UNEP (2022) Sand and Sustainability: 10 strategic recommendations to avert a crisis; WEF (2023) Nature Positive: Role of the Cement and Concrete Sector; WHO (2023) Dioxins.



Dependencies

Table 9: Examples of dependency pathways for the construction materials sector

Business activity	Environmental assets and ecosystem services depended on	Description of dependencies
Quarrying; sand	Environmental assets	The construction materials sector is
mining	Underwater mineral and energy resources	centred on the extraction of mineral resources from the environment, so
	Marine ecosystems	has a high dependency on the natural
	Land	processes that create these resources.
	Terrestrial and subterranean terrestrial ecosystems	An organisation should particularly pay attention to its dependency on sand
	Mineral and energy resources	production, which is being extracted at
	Water resources	unsustainable rates in many locations,
	Freshwater ecosystems	notably China and India.
	Ecosystem services	Extraction operations are further
	Water supply	supported by provisioning services such as the supply of clean water.
	Biological control	Ecosystems surrounding sites also
	Soil and sediment retention	protect operations from natural hazards
	Flood mitigation	such as floods and storms, and help to
	Water flow regulation	stabilise the surrounding soil, supporting operations and reducing the risk of
	Rainfall pattern regulation	landslides.
	Local and global climate regulation	Quarrying is also associated with the
	Solid waste remediation	production of various pollutants and
	Storm mitigation	disturbances, as discussed in Table 6.
	Water purification	Construction materials organisations in turn depend on ecosystems to dilute
	Air filtration	these byproducts to protect the local
	Noise attenuation	environment, communities and workers.



Business activity	Environmental assets and ecosystem services depended on	Description of dependencies
Cement manufacturing: water use	<i>Environmental assets</i> Underwater mineral and energy resources	Cement production requires a supply of clean water as the binding ingredient for the hydration process. If ecosystems are
	Water resources Freshwater and subterranean freshwater ecosystems	degraded, or water across the catchment area is extracted at an unsustainable rate, the supply of this clean water may be disrupted.
	Ecosystem services Water supply	Where water is sourced from third party providers, that organisation's dependencies on water resources and
	Water flow regulation Water purification	water-related ecosystem services should also be analysed.
	Rainfall pattern regulation	

Sources: ENCORE Partners (2024) ENCORE: Exploring Natural Capital Opportunities, Risks and Exposure; Katz-Lavigne, S. et al. (2021) Mapping Global Sand: Extraction, research and policy options; University of Illinois Urbana-Champlain (1995) Scientific principles.

Table 2 in the guidance for the Locate phase in this document also provides a list of ecosystem services typically depended on by the construction materials industry. These tables present global sector averages. Actual dependencies will vary for individual production processes across the value chain, commodities and geographical contexts.

External factors

Organisations should take into account external factors that may affect the availability of environmental assets and ecosystem services on their sites. Climate change is likely to be of particular relevance, contributing to a higher frequency of extreme weather events, such as droughts and floods, and affecting the wider ecosystem condition, for example, through longer-term changes to rainfall patterns and lowering of water tables. These factors influence the provisioning and regulating ecosystem services that the construction materials sector depends on, such as soil and sediment retention and water supply.

Organisations should refer to the TNFD's <u>biome guidance</u> for more examples of ecosystem services that may be present in the locations where the organisation is operating.



F3



E3: Dependency and impact measurement

Guiding questions:

What is the scale and scope of our dependencies on nature? What is the severity of our negative impacts on nature? What is the scale and scope of our positive impacts on nature?

Organisations should refer to the metrics in Section 3 for guidance on what indicators and metrics to use in measuring dependencies and impacts.

E4 E4: Impact materiality assessment

Guiding question: Which of the identified impacts are material?

As for all components, refer to the <u>Guidance on the identification and assessment of nature-</u>related issues: The LEAP approach.



2.4. Assess nature-related risks and opportunities

This section provides additional guidance to help construction materials industry organisations with the Assess phase of the LEAP approach.

A1: Risk and opportunity identification

Guiding question:

What are the corresponding risks and opportunities for our organisation?

Risks

Table 10 provides a list of illustrative nature-related physical and transition risks for the construction materials industry. Organisations should note that the example risks and opportunities outlined in these tables are non-exhaustive and that there may also be other relevant risks and opportunities to consider.

Table 10: Illustrative nature-related risks in the construction materials sector

Risk type		Illustrative risk in the construction materials sector	Magnitude indicators
Physical, transition or systemic- type risk	Risk category		
Physical	Acute	Increased risk of damage from floods, storms and landslides if protective terrestrial ecosystems are degraded Increased habitat rehabilitation or reclamation costs if soil quality is degraded Increased water purification costs as a result of accidental oil spillages upstream Repair costs and interruptions to business activity following damage to infrastructure due to wildfires, tropical cyclones, extreme heat and other extreme weather events	Increase in operational costs due to interruption of, or reduction in, productivity of operations/supply chain Increase in closure and rehabilitation or reclamation costs due to degradation in soil quality and insufficient material balance Cost of write-offs and early retirement of existing business assets Increased insurance costs





Risk type		Illustrative risk in the construction materials sector	Magnitude indicators
Physical, transition or systemic- type risk	Risk category		
Physical	Chronic	Declining water supply and/or water quality as a result of the organisation's activities, those of others in the watershed and climate change Declining sand supply as a result of unsustainable dredging in river areas/ marine areas Disruption of operations due to scarcity and increased cost of raw materials and freshwater	Cost of disruption to operations and increase in the cost of water management and control Increase in insurance costs resulting from natural disasters Decline in value of business assets due to lack of availability of natural resources
Transition	Reputational	Changes in sentiment towards the organisation/brand due to competition for natural resources (e.g. water, land), impacts on nature and/or failure to meet expected stakeholder community expectations (e.g. nature no net loss, failure to meet rehabilitation or reclamation and closure expectations, or late life divestments) Disruption to operations due to, for example, the discovery of rare species on-site	Downward revisions to business growth forecasts due to inability to gain new land access Cost of operational interruptions due to community conflict or unexpected nature protection activity Reduction in revenue due to reduced brand value Staff turnover and application numbers for vacant posts





Risk type		Illustrative risk in the construction materials sector	Magnitude indicators		
Physical, transition or systemic- type risk	Risk category				
Transition	Policy	Reduced areas available to explore for quarrying as more areas are placed under protection mechanisms (e.g. as identified in National Biodiversity Strategies and Action Plans (NBSAPs)) Increased restrictions on access to remote areas where remaining reserves are located Tighter regulations requiring longer suspensions of operations to facilitate inspections and surveys when, for example, previously undetected important cave systems are discovered	 Increase in cost of damage payouts (e.g. fines, penalties, compensation, license revocation) caused by environmental incidents or non- compliance Cost of additional habitat regeneration following introduction of biodiversity offset schedule to support government no net loss or nature-positive initiatives Increase in costs and reduction in revenue due to interruption of operations/supply chain as sites for suppliers are limited Costs related to the loss of operating areas Increase in timeframes for new projects, permits and land access Operating area lost due to collective land rights claims by Indigenous Peoples and Local Communities 		





Opportunities

Nature-related opportunities are activities that create positive outcomes for organisations and nature through positive impacts or mitigation of negative impacts on nature. Illustrative examples of nature-related opportunities are outlined in Table 11 below.

Table 11: Illustrative nature-related opportunities for the construction materials sector

Opportunity type	Illustrative opportunity in the construction materials sector	Magnitude indicators
Markets	Opportunities for organisations to engage in emerging natural capital markets	Increase in revenues
Resource efficiency	Reduce water consumption by replacing wet process technology kilns with dry process kilns ¹³	Reduction in water costs
Products and services	New products that are designed for disassembly to allow for reuse of materials after building deconstruction ¹⁴	Revenue from new products as market shifts towards more circularity for materials
	Replace virgin raw materials through the reuse and repurposing of waste and loss into alternative products (e.g. recycled concrete aggregates, recycled powder and recycled construction demolition waste) ¹⁵	Cost reductions
	Certification of sustainable products	Revenue from such products
	Use of owned or managed natural assets to create or enhance ecosystem services that may be monetised (e.g. natural flood risk management)	Increase in revenue from payments for ecosystem services
Reputational capital	Increase in consumer brand loyalty and enhanced social licence to operate though actions such as transparent biodiversity management plans and focus on circular economy	Increase in revenue

13 GCCA (2019) Sustainability Guidelines for the monitoring and reporting of water in cement manufacturing.

¹⁴ WEF, BCG (2023) <u>Scaling Low-Carbon Design and Construction with Concrete: Enabling the Path to Net-Zero</u> for Buildings and Infrastructure; GCCA (no date) <u>Design for Disassembly</u>.

¹⁵ Villagrán-Zaccardi, Y. A. et al. (2022) <u>Complete re-utilization of waste concretes – Valorisation pathways and</u> research needs.



Opportunity type	Illustrative opportunity in the construction materials sector	Magnitude indicators
Ecosystem protection, restoration and regeneration	Conservation (e.g. through the creation of temporary habitats during the quarry lifecycle) Investment in natural flood management activities upstream of quarries/extraction areas/roads to prevent flooding of the organisation's assets Investment in nature restoration in areas surrounding sites to improve connectivity Implement fragmentation mitigation measures (e.g. wildlife overpasses, underpasses, wildlife-friendly culverts and canopy bridges) on-site	Increase in species populations Increase in ecosystem extent and condition Increase in public access to green space
	Integrated multi-stakeholder action at land/seascape/river basin/jurisdictional/sector scale Manage and rehabilitate or reclaim a site in such a way that species present in the past may be encouraged to recolonise	

A2: Adjustment of existing risk mitigation and risk and opportunity management

Guiding questions:

Δ2

What existing risk and opportunity management processes and elements are we already applying?

How can risk and opportunity management processes and associated elements (e.g. risk taxonomy, risk inventory and risk tolerance criteria) be adapted?

As for all components, refer to the Guidance on the identification and assessment of naturerelated issues: The LEAP approach.





3 A3: Risk and opportunity measurement and prioritisation

Guiding question:

Which risks and opportunities should be prioritised?

As for all components, refer to the <u>Guidance on the identification and assessment of nature-</u>related issues: The LEAP approach.

A4 A4: Risk and opportunity materiality assessment

Guiding question:

Which risks and opportunities are material and therefore should be disclosed in line with the TNFD recommended disclosures?

As for all components, refer to the <u>Guidance on the identification and assessment of nature-</u>related issues: The LEAP approach.





2.5. Prepare to respond and report

This section provides additional guidance to help construction material industry organisations with the Prepare phase of the LEAP approach.

The Kunming-Montreal Global Biodiversity Framework (GBF) aims to "halt and reverse biodiversity loss" by 2030, envisioning "a world living in harmony with nature" by 2050. Achieving this implies a transition which will require significant business changes across sectors. The TNFD has published draft guidance to help organisations develop and disclose nature transition plans. These plans provide a structured way to manage responses and contributions to this transition, starting with key priorities and expanding over time as understanding improves, such as through a LEAP assessment. The LEAP Prepare phase provides initial guidance for addressing dependencies, impacts, risks, and opportunities, laying the groundwork for a nature transition plan.

1 P1: Strategy and resource allocation plans

Guiding question:

What risk management, strategy and resource allocation decisions should be made as a result of this analysis?

Table 12 presents illustrative priority and transformative actions that construction materials sector organisations may want to consider based on the dependencies, impacts, risks and opportunities identified in the Evaluate and Assess phases. All actions have been categorised by the corresponding impact driver and classified according to the TNFD's interpretation of <u>SBTN's AR3T framework</u> (Figure 5): avoid and reduce negative impacts; restore and regenerate; transformation of business models, products, services, markets and investments; and contributing to needed systemic change inside and outside value chains.






Figure 5: SBTN's AR3T framework



In preparing to respond, organisations should:

- Consider the potential actions across all their sites including inactive quarries and office sites – and across the quarry lifecycle, including scope to create temporary habitats;
- Consider where there is a need to accelerate innovation to meet nature goals, including a rethinking of business models, circular economy opportunities, and making more use of nature-based solutions to manage on-site risks such as flooding and water quality issues; and
- Apply the mitigation hierarchy (Box 3), working towards no net loss, and in the best case, a net gain for nature.

Organisations should also refer to best practices for biodiversity management plans, quarry rehabilitation or reclamation plans and procurement, including:

- Quarry biodiversity management:
 - <u>GCCA Sustainability Guidelines for quarry rehabilitation and biodiversity</u> <u>management;</u>
 - BirdLife Europe and Central Asia's <u>Extractive Sector Species Protection Code of</u> <u>Conduct;</u>
- Water management:
 - <u>GCCA Sustainability Guidelines for the monitoring and reporting of water in cement</u>
 <u>manufacturing;</u>





- · Circular economy:
 - GCCA Policy Document on Circular Economy;
 - <u>GCCA Sustainability Guidelines for co-processing fuels and raw materials in cement</u>
 <u>manufacturing;</u>
- Cross-cutting:
 - WEF's Nature Positive: Role of the Cement and Concrete Sector; and
 - Certification standards from the Concrete Sustainability Council.

Box 3: The mitigation hierarchy

The mitigation hierarchy requires that an organisation follows a series of essential and sequential steps over the project's lifecycle. Organisations should maximise the actions in the first step before proceeding to action under the second, and so forth. The actions are:

- 1. Avoid creating harmful impacts, for example, through careful spatial placement of infrastructure, or timing of construction;
- 2. Minimise the harmful impacts that are unavoidable, by reducing their duration, intensity or extent;
- 3. Rehabilitate, reclaim or restore the site after exposure to harmful impacts, trying to return the area to a state as close as possible to how it was before the impacts took place; and
- 4. Offset: The organisation may wish to compensate further for any residual adverse impacts after the full implementation of the previous three steps of the mitigation hierarchy. Nature offsetting is an emerging topic and organisations should refer to best practices, such as those being prepared by the <u>International Advisory Panel on</u> <u>Biodiversity Credits</u>.


Quarry rehabilitation or reclamation can contribute significantly to mitigating residual impacts and in many cases will be able to deliver no net loss, in which case it can be sufficient alone, without the need for compensation projects or offsets. Organisations should refer to the <u>GCCA Sustainability guidelines for quarry rehabilitation and</u> <u>biodiversity management</u> for guidance on applying the mitigation hierarchy in the construction materials sector.

Source: The Biodiversity Consultancy (no date) Net positive and the mitigation hierarchy; GCCA (2020) Sustainability Guidelines for quarry rehabilitation and biodiversity management.




Impact driver/ dependency		International frameworks	SBTN action framework (AR3T)				
		alignment	Avoid	Reduce	Regenerate	Restore	Transform
Land-use change	Avoid ecologically sensitive areas, particularly protected areas, as well as areas likely to become protected under countries' updated National Biodiversity Strategies and Action Plans (NBSAPs). Instead, focus development in already modified habitats such as brownfield or intensively farmed areas.	Council Directive 92/43/EEC (Habitats Directive) Article 6(4) GBF Target 3 SBTN Interim Targets SDG 15					
	Adopt a biodiversity management plan; restore and regenerate nature by introducing innovative and nature-based solutions such as temporary habitats; and where possible, commit to improving biodiversity through habitat restoration and reinstatement (adopt quarry rehabilitation or reclamation plans) after clearance/decommissioning.	GBF – Targets 2, 3, 11, 12 SDG 15					
	Regularly review environmental impact assessments on existing sites using, for example, rapid biodiversity surveys.	SDG 15					

Table 12: Illustrative priority and transformative actions for the construction materials sector mapped to the AR3T Framework





Impact driver/ dependency	Example of responses to impacts/ dependencies on nature and associated	International frameworks	SBTN action framework (AR3T)					
	risks	alignment	Avoid	Reduce	Regenerate	Restore	Transform	
Land-use change	Support developments of nature-based solutions for water quality and flood risk management in river catchments containing the organisation's operations. Support other nature restoration projects in organisation's areas of influence.							
	Implement fragmentation mitigation measures (e.g. wildlife overpasses, underpasses, wildlife-friendly culverts and canopy bridges) to support connectivity.							
	Promote pollinators on-site by creating nectar and pollen-rich habitats, species- rich grassland, nesting and overwintering habitats, and ponds with shallow edges during temporary and permanent rehabilitation or reclamation activities; construction of green roofs and walls; and avoiding the use of insecticides.	SDG 15						





Impact driver/ dependency	Example of responses to impacts/ dependencies on nature and associated	International frameworks	SBTN action framework (AR3T)					
	risks	alignment	Avoid	Reduce	Regenerate	Restore	Transform	
Resource use: water use	Implement a sustainable water management plan, prioritising regions of water stress. Actions may include continuous, systematic or periodic water monitoring; water risk assessments; and minimisation of freshwater withdrawals in water-stressed areas or during drought periods.	European Parliament and Council Directive 2000/60/EC (Water Framework Directive) GBF Target 11 GRI 303 SDG 6 UNEP Integrated Water Resources Management						





Impact driver/ dependency	Example of responses to impacts/ dependencies on nature and associated	International frameworks	SBTN action framework (AR3T)				
	risks	alignment	Avoid	Reduce	Regenerate	Restore	Transform
Resource use: water use	Maximise recovery of process water (e.g. water reuse/recycling, closed loops), collecting, quantifying and mapping on-the- ground water use and mitigation policies already in place. Create artificial wetlands to reduce water withdrawal and improve water quality. Harvest rainwater. Partner with other local actors to share water resources (e.g. using discharges from other businesses operating in the vicinity of cement and concrete plants, as well as wastewater from local communities).	SDG 6					
	Adopt less water-intensive processes and improve the water efficiency of production processes.	SDG 6					
	Implement water replenishment programmes and conservation/restoration of water species affected by water withdrawals.	Net Positive Water Impact (UN Global Compact Water Resilience Coalition) SDG 6					





Impact driver/ dependency	Example of responses to impacts/ dependencies on nature and associated	International frameworks	SBTN action framework (AR3T)				
	risks	alignment	Avoid	Reduce	Regenerate	Restore	Transform
Resource use: other	Avoid dredging sand from rapidly degrading or already degraded rivers/areas/marine areas.						
	Prioritise co-processing where possible. For example, in cement kilns, use alternative fuels, alternative raw materials such as industrial ashes and by-products, as well as supplementary cementitious materials in production processes. Innovate in recycling the sector's own waste streams.	SDG 12					
	Adopt circular practices that are restorative and regenerative by design. Employ material- efficient design for construction materials to support longevity, reuse and disassembly, and use low impact materials including reused or recycled materials or bio-based and low- carbon alternatives.	SDG 12					
	Improve the thermal efficiency in manufacturing processes through the modernisation of kilns and pioneering new concepts such as hydrogen, as well as by integrating new technologies such as Waste Heat Recovery (WHR) facilities in cement plants.						
	Improve traceability across the value chain.						





Impact driver/ dependency	Example of responses to impacts/ dependencies on nature and associated	International frameworks	SBTN action framework (AR3T)				
dependency	risks	alignment	Avoid	Reduce	Regenerate	Restore	Transform
Measures against unintentional introduction of invasive alien species (IAS)	Always favour the use of native species in quarry rehabilitation or reclamation. Never use invasive alien species (e.g. as listed under national/local blacklists) in quarry rehabilitation or reclamation.	CEMBUREAU					
	Develop management measures for concerned species.	CEMBUREAU					
	If possible, implement wheel cleaning mechanisms for vehicles at the entrance to, and exit from, the quarry.	CEMBUREAU					





Impact driver/ dependency	Example of responses to impacts/ dependencies on nature and associated	International frameworks	SBTN action framework (AR3T)				
dependency	risks	alignment	Avoid	Reduce	Regenerate	Restore	Transform
Measures against unintentional introduction of invasive alien species (IAS)	 Monitor presence of invasive alien species at site level. For example: Provide training and guidelines to employees and local stakeholders on the importance of invasive alien species, developed in collaboration with conservation NGOs; and Undertake an inventory of invasive alien species present in the quarry using the Environmental Impact Classification for Alien Taxa (EICAT), a method for classifying alien taxa in terms of the magnitude of their detrimental environmental impacts in recipient areas. 	CEMBUREAU					
	Always favour the use of native species in quarry rehabilitation or reclamation.	CEMBUREAU					

Sources: CEMBUREAU (2017) Invasive Alien Species - Guidance for the Cement Industry; CEMBUREAU (2022) Biodiversity roadmap; GCCA (2019) Sustainability

Guidelines for co-processing fuels and raw materials in cement manufacturing; GCCA (2020) Sustainability Guidelines for quarry rehabilitation and biodiversity management; GCCA (2021) The GCCA 2050 Cement and Concrete Industry Roadmap for Net Zero Concrete; GCCA (2024) Policy Document on Circular Economy; WEF (2023) Nature Positive: Role of the Cement and Concrete Sector.





2 P2: Target setting and performance management

Guiding question:

How will we set targets and define and measure progress?

As for all components, refer to the <u>Guidance on the identification and assessment of nature-</u>related issues: The LEAP approach.

P3 P3: Reporting

Guiding question:

What will we disclose in line with the TNFD recommended disclosures?

As for all components, refer to the <u>Guidance on the identification and assessment of nature-</u>related issues: The LEAP approach.

Additionally, when considering international interoperability throughout their disclosure process, organisations may find it helpful to refer to the following documents:

- TNFD European Financial Reporting Advisory Group (EFRAG) <u>Correspondence</u> <u>Mapping</u>; and
- TNFD Global Reporting Initiative (GRI) Standards Interoperability Mapping.

Guiding question:

Where and how do we present our nature-related disclosures?

As for all components, refer to the <u>Guidance on the identification and assessment of nature-</u> related issues: The LEAP approach.





Sector-specific disclosure metrics and related guidance – Construction materials

Sector-specific metrics form an important part of the TNFD's measurement architecture (see Figure 6). This reflects the diversity of business models across value chains and their interface with nature across and within sectors. Sector-specific metrics help financial institutions to compare organisations within the same sector, which often face similar nature-related issues.

This section provides the TNFD sector-specific metrics for the construction materials sector. It includes:

- Guidance on the application of the core global disclosure indicators and metrics to the construction materials sector (Section 3.1); and
- Core and additional disclosure indicators and metrics for the construction materials sector (Sections 3.2 and 3.3).





Where available, the TNFD's recommended metrics for disclosure draw from a range of existing standards and frameworks including the IFRS Sustainability Disclosure Standards, Sustainability Accounting Standards Board (SASB) Standards (now the responsibility of the International Sustainability Standards Board (ISSB)), GRI Standards, the CDP disclosure platform, the Kunming-Montreal Global Biodiversity Framework and other relevant UN frameworks, ESRS and others. A number of organisations, including standard-setting organisations, continue to work on identifying relevant sector-level assessment and reporting metrics. The Taskforce recommends that report preparers stay engaged with year-on-year progress on these developments and implement the latest definitions within their risk management processes and disclosures. The TNFD is working closely with standard-setting organisations and others and will periodically update this guidance on recommended sector metrics for disclosure in line with these ongoing initiatives.

Organisations in the construction materials sector should refer to Annex 1 of the <u>TNFD</u> <u>recommendations</u> for further information on the core global disclosure metrics. As outlined in the TNFD recommendations, core global disclosure metrics should be reported on a comply or explain basis, with the exception of the placeholder metrics.

Where organisations are unable to report against any of the core global metrics, they should provide a short explanatory statement as to why they have not reported those metrics. An organisation should report on the core global disclosure metrics unless:

- It has not been identified as relevant and material to the organisation, e.g. not relevant to business activities or the location the organisation is operating in, or not found to be a material issue for the organisation; or
- It has been identified as relevant and material, but the organisation is unable to measure it due to limitations with methodologies, access to data or because the information is commercially sensitive. In this case, organisations should explain how they plan to address this in future reporting periods.

Companies should report on the same basis for the core sector disclosure metrics outlined in Section 3.2.

Organisations are also encouraged to draw on the TNFD additional sector disclosure indicators and metrics outlined in Section 3.3 and any other relevant metrics to represent most accurately the organisation's nature-related dependencies, impacts, risks and opportunities.





3.1. Guidance on the application of the core global disclosure metrics

This section provides guidance, where relevant, on how to apply the TNFD core global disclosure metrics in the construction materials sector. If no further sector specific guidance is provided, organisations should refer to the core global disclosure metrics.

As outlined above, core global disclosure metrics should be reported on a comply or explain basis following the guidance for the construction materials sector where provided.

For the placeholder indicators on invasive alien species and the state of nature, the TNFD encourages organisations to consider and report against these indicators where possible, but these are not expected on a comply or explain basis. There are not yet widely accepted metrics for these indicators, but the Taskforce recognises their importance, and will continue to work with knowledge partners to develop further guidance on these metrics.

Companies applying the SBTN methods to set SBTs for Nature will be required to use mostly the same indicators as recommended by TNFD. In some instances, additional data may be required or recommended by SBTN to set and implement targets.

Table 13: Guidance on the application of the core global disclosure metrics

Metric no.	Core global indicator	Core global metric	Guidance for the sector	Source
	GHG emissions	Refer to IFRS S2 Climate-related Disclosures.	No further sector specific guidance. Refer to the core global metric guidance.	
C1.0	Total spatial footprint	 Total spatial footprint (km²) (sum of): Total surface area controlled/ managed by the organisation, where the organisation has control (km²); Total disturbed area (km²); and Total rehabilitated/restored area (km²). 	In reporting the land spatial footprint for quarrying activities under this core global disclosure metric, an organisation should include land owned, leased or managed in the exploration, development and production, closure and post-closure project phases. Organisations should refer to other relevant <u>TNFD sector</u> <u>guidance</u> for reporting downstream spatial footprints, in particular the engineering, construction and real estate guidance.	SASB EM-CM- 160a.2. TNFD





Metric no.	Core global indicator	Core global metric	Guidance for the sector	Source
C1.1	Extent of land/ freshwater/ ocean-use change	Extent of land/freshwater/ocean-use change (km²) by: • Type of ecosystem; ¹⁶ and • Type of business activity.	 In reporting ecosystem use change associated with quarrying, the extent of land/freshwater/ocean ecosystem use change (km²) should cover the gross area disturbed, as well as the gross area reclaimed in the reporting period. Values should be broken down by area disturbed in each phase as follows: Pre-disturbance; Clearance; Extraction, development and production; Quarry closure; and Post-closure project phases, including rehabilitation or reclamation, while the land remains in the organisation's value chain. An organisation may provide information additional to the IUCN Global Ecosystem Typology (GET) to define the type of ecosystem they refer to, such as regional or local classifications. Organisations should refer to other relevant TNFD sector guidance for ecosystem use change downstream, in particular the engineering, construction and real estate guidance. 	SASB EM-CM- 160a.2. TNFD

16 When disclosing on ecosystem types, refer to the International Union for Conservation of Nature Global Ecosystem Typology.



Metric no.	Core global indicator	Core global metric	Guidance for the sector	Source
C1.1	Extent of land/ freshwater/ ocean-use change	Extent of land/freshwater/ocean ecosystem conserved or restored (km ^{2s}), split into: • Voluntary; and • Required by statutes or regulations.	 In reporting this core global disclosure metric, an organisation should distinguish between extent conserved and restored: In areas owned, leased or managed; and In areas off-site, owned, leased or managed by other organisations. An organisation should also report land that is temporarily restored and any temporary habitats created. An organisation should report area conserved and restored separately. 	GRI 101-6 SASB EM-CM- 160a.2.
C1.1	Extent of land/freshwater/ ocean-use change	Extent of land/freshwater/ocean ecosystem that is sustainably managed ¹⁷ (km ²) by: • Type of ecosystem; ¹⁸ and • Type of business activity.	No further sector specific guidance. Refer to the core global metric guidance.	TNFD

17 See the <u>TNFD Glossary</u> for a definition of "sustainably managed".

18 When disclosing on ecosystem types, refer to the International Union for Conservation of Nature Global Ecosystem Typology.



Metric no.	Core global indicator	Core global metric	Guidance for the sector	Source
C2.0	Pollutants released to soil split by type	Pollutants released to soil (tonnes) by type, referring to sector-specific guidance on types of pollutants.	In reporting this core global disclosure metric, an organisation should include pollutants released to soil that include any cement kiln dust, metal pollutants (mercury (Hg), cadmium (Cd), thallium (Tl), antimony (Sb), arsenic (As), lead (Pb), chromium (Cr), cobalt (Co), copper (Cu), manganese (Mn), nickel (Ni), zinc (Zn) and vanadium (V)), toxins and any other types of soil pollutants released by the organisation.	ENCORE
C2.1	Wastewater discharged	 Volume of water discharged (m³), split into: Total; Freshwater; and Other.¹⁹ Including: Concentrations of key pollutants in the wastewater discharged, by type of pollutant, referring to sector-specific guidance for types of pollutants; and Temperature of water discharged, where relevant. 	 In reporting this core global disclosure metric, water discharged should be broken down by destination: Surface water; Groundwater; Seawater; and Third-party water, and the volume of this total sent for use to other organisations. As well as broken down by source: Point source discharge; and Non-point source discharge. 	GRI 303-4 SASB EM-CM- 140a.1. TNFD

19 Freshwater: (<1,000 mg/L Total Dissolved Solids). Other: (>1,000 mg/L Total Dissolved Solids). Reference: GRI (2018) GRI 303-4 Water discharge.





Metric no.	Core global indicator	Core global metric	Guidance for the sector	Source
			 For each site, an organisation should consider disclosing the following pollutants: pH; TSS (Total Suspended Solids); TDS (Total Dissolved Solids); Metal pollutants (mercury (Hg), cadmium (Cd), thallium (Tl), antimony (Sb), arsenic (As), lead (Pb), chromium (Cr), cobalt (Co), copper (Cu), manganese (Mn), nickel (Ni), zinc (Zn) and vanadium (V)); TPH (Total Petroleum Hydrocarbons); and BOD (Biochemical Oxygen Demand). An organisation should describe the methodology used to calculate said concentrations as well as the dates and/or frequency of measurement for each pollutant, and whether the emission is a one-off occurrence or continuous.	





Metric no.	Core global indicator	Core global metric	Guidance for the sector	Source
C2.2	Waste generation and disposal	 Weight of hazardous and non-hazardous waste generated by type (tonnes), referring to sector-specific guidance for types of waste. Weight of hazardous and non-hazardous waste (tonnes) disposed of, split into: Waste incinerated (with and without energy recovery); Waste sent to landfill; and Other disposal methods. Weight of hazardous and non-hazardous waste (tonnes) diverted from landfill, split into waste: Reused; Recycled; and Other recovery operations. 	Types of waste to report under this core global disclosure metric include: • Slags; • Dusts; • Sludges; • Used oil; and • Other solid wastes that meet the TNFD definition of waste. The scope excludes gaseous waste.	SASB EM-CM- 150a.1. TNFD





Metric no.	Core global indicator	Core global metric	Guidance for the sector	Source
C2.3	Plastic pollution	 Plastic footprint as measured by total weight (tonnes) of plastics (polymers, durable goods and packaging) used or sold broken down into raw material content.²⁰ For plastic packaging, percentage of plastics that is: Reusable; Compostable; Technically recyclable; and Recyclable in practice and at scale. 	No further sector specific guidance; refer to the core global disclosure metric.	TNFD

20 Raw material content: % of virgin fossil-fuel feedstock; % of post-consumer recycled feedstock; % of post-industrial recycled feedstock; % of virgin renewable feedstock.





Metric no.	Core global indicator	Core global metric	Guidance for the sector	Source
C2.4	Non-GHG air pollutants	 Non-GHG air pollutants (tonnes) by type: Particulate matter PM_{2.5} and/or PM₁₀); Nitrogen oxides (NO₂, NO and NO₃); Volatile organic compounds (VOC or NMVOC); Sulphur oxides (SO₂, SO, SO₃, SO_x); and Ammonia (NH₃). 	 Additional pollutants to report under this core global disclosure metric include: Carbon monoxide (CO); Dioxins/furans, including but not limited to the sum of the 17 congeners of polychlorinated dibenzodioxins (PCDDs) and polychlorinated dibenzofurans (PCDFs) that contain chlorine; and Heavy metals (includes mercury (Hg), cadmium (Cd), thallium (Tl), antimony (Sb), arsenic (As), lead (Pb), chromium (Cr), cobalt (Co), copper (Cu), manganese (Mn), nickel (NI) and vanadium (V)); and Airborne dust. 	GCCA (2019) GRI G4 Construction and real estate EN8, EN9 SASB EM-CM- 120a.1.



Metric no.	Core global indicator	Core global metric	Guidance for the sector	Source
C3.0	Water withdrawal and consumption from areas of water scarcity	Water withdrawal and consumption ²¹ (m ³) from areas of water scarcity, including identification of water source. ²²	 In reporting this core global disclosure metric, an organisation should include: Total freshwater (≤1000 mg/l of Total Dissolved Solids) withdrawal, including from natural open sources such as rivers, lakes, natural ponds, streams, creeks; from groundwater (wells, boreholes, water below soil surface); from municipal and/or from third parties; and from quarry dewatering used in operations; Total non-freshwater (>1000 mg/l of Total Dissolved Solids) withdrawal, including from sources of high salinity or pollutants; and Harvested rainwater: Volume of precipitation (rainwater or snowmelt) that is collected on-site (e.g. settling ponds, inactive quarry area that has not yet reached the groundwater table). Water from quarry dewatering that is not used should be reported separately. An organisation should differentiate withdrawal from groundwater sources that are recharged and non-recharged. 	GRI 303-3 TNFD

21 Water consumption is equal to water withdrawal less water discharge. Reference: GRI (2018) <u>GRI 303-5</u>.

22 Surface water; groundwater; seawater; produced water; third-party water. Reference: GRI (2018) GRI 303-3.






Metric no.	Core global indicator	Core global metric	Guidance for the sector	Source
C3.1	Quantity of high-risk natural commodities sourced from land/ocean/freshwater	Quantity of high-risk natural commodities ²³ (tonnes) sourced from land/ocean/ freshwater, split into types, including proportion of total natural commodities.	Commodities to report under the core global disclosure metric include: Alumina and ferrous oxide; Chalk marl; Coal; Limestone; Natural gypsum; Pozzolan; Primary aggregates; Sand; and Silica correctives. In the core global metric, 'sourced' should be interpreted as purchased, bought by an organisation or from its own supply.	GRI G4 Construction and real estate EN1 SBTN (2023) TNFD

23 Users should refer to the Science Based Targets Network (SBTN) High Impact Commodity List (HICL), species listed as vulnerable, endangered or critically endangered on the <u>IUCN red list</u>, and species listed in <u>appendices I, II and III to CITES</u>.

Metric no.	Core global indicator	Core global metric	Guidance for the sector	Source
C3.1	Quantity of high-risk natural commodities sourced from land/ocean/freshwater	Quantity of high-risk natural commodities ²⁴ (tonnes) sourced under a sustainable management plan or certification programme, including proportion of total high-risk natural commodities.	Commodities to report under the core global disclosure metric include: • Alumina and ferrous oxide; • Chalk marl; • Coal; • Limestone; • Natural gypsum; • Pozzolan; • Primary aggregates; • Sand; and • Silica correctives. In the core global metric, 'sourced' should be interpreted as purchased or bought by an organisation or from its own supply.	GRI G4 Construction and real estate EN1 SBTN (2023) TNFD
C4.0	Placeholder indicator: Measures against unintentional introduction of invasive alien species (IAS) ²⁵	Proportion of high-risk activities operated under appropriate measures to prevent unintentional introduction of IAS, or low risk designed activities.	No further sector specific guidance; refer to the core global disclosure metric.	TNFD

24 Users should refer to the Science Based Targets Network (SBTN) High Impact Commodity List (HICL), species listed as vulnerable, endangered or critically endangered on the IUCN red list, and species listed in appendices I, II and III to CITES.

25 Due to the measurement of levels of invasive species for organisations being a developing area, the chosen indicator focuses on whether an appropriate management response is in place for the organisation. The additional sets of metrics contain measurement of the level of invasive species within an area. The TNFD intends to do further work with experts to define 'high-risk activities' and 'low-risk designed activities'.





Metric no.	Core global indicator	Core global metric	Guidance for the sector	Source
C5.0	Placeholder indicator: Ecosystem condition	For those organisations that choose to report on state of nature metrics, the TNFD encourages them to report the following indicators, and to refer to the TNFD additional guidance on measurement of the state of nature in Annex 2 of the LEAP approach: • Level of ecosystem condition by type	No further sector specific guidance; refer to the core global disclosure metric.	TNFD
	Placeholder indicator: Species extinction risk	 of ecosystem and business activity; and Species extinction risk. There are a number of different measurement options for these indicators. The TNFD does not currently specify one metric as there is no single metric that will capture all relevant dimensions of changes to the state of nature and a consensus is still developing. The TNFD will continue to work with knowledge partners to increase alignment. 	No further sector specific guidance; refer to the core global disclosure metric.	TNFD



3.2. Core sector disclosure indicators and metrics

The TNFD core sector disclosure metrics for the construction materials sector are outlined below. The TNFD recommends that these metrics be disclosed by all report preparers in the sector on a comply or explain basis.

Table 14: Core sector disclosure indicators and metrics

Metric category	Metric subcategory	Metric No.	Indicator	Core sector metrics	Source
Impact driver	Land/freshwater/ ocean-use change	CM.C1.0	Change in fragmentation due to linear infrastructure	 Length (km), footprint (km²), quantity (number) of lanes, planned traffic volume, and surface or material type of upgraded and/or new linear infrastructure (e.g. conveyors, roads, rails, powerlines, canals, pipelines, fences) built: In sensitive locations, by sensitive location criteria met, stating the ecosystem type;²⁶ and In other areas, stating the ecosystem type. Number of completed wildlife crossing structures or other fragmentation mitigation methods per kilometre of linear infrastructure, including: Number with verified wildlife use; and Length, width and/or height (underpasses only) of crossing structures (m). Crossing structures include underpasses, overpasses, canopy bridges. Other fragmentation mitigation mitigation efforts may include retrofits of existing culverts, fencing and jump-outs. 	TNFD
Impact driver	Pollution/ pollution removal	CM.C2.0	Volume of spills	Volume of spills of diesel, paints, solvents and toxic chemicals (m ³), by national or company spill classification scheme and by type of ecosystem affected.	ENCORE GRI 306-3



3.3. Additional sector disclosure indicators and metrics

The TNFD additional sector disclosure metrics for the construction materials sector are outlined below. The TNFD encourages all report preparers in the sector to draw on these and any other relevant metrics where relevant to best represent an organisation's material nature-related dependencies, impacts, risks and opportunities.

Table 15: Additional sector disclosure indicators and metrics

Metric category	Metric subcategory	Metric No.	Cross-sector indicator	Additional sector metrics	Source
Impact Driver	Pollution/pollution removal	CM.A2.0	Invasive alien species management	Area (km ²) controlled or managed by the organisation colonised by invasive alien species, by species type.	CEMBUREAU TNFD
Impact driver	Pollution/pollution removal	CM.A2.1	Light pollution	 Contribution to light pollution, measured, for example, by: Number and proportion (%) of outdoor lights by backlight, uplight and glare (BUG) rating; Number and proportion (%) of outdoor lights above 2700K; Total outdoor lighting (lumen and lumen/ha); Total (m²) and proportion (%) of area with nighttime lighting; and/or Number and proportion (%) of outdoor lights that are kept on at night; and number and proportion (%) of outdoor lights that are and are not dimmed at night, by degree of dimming. 	IUCN (2023) TNFD





Metric category	Metric subcategory	Metric No.	Cross-sector indicator	Additional sector metrics	Source
Impact driver	Pollution/pollution removal	CM.A2.2	Noise pollution	 Contribution to noise pollution, measured, for example, by: Average noise level and/or frequency (dB, Hz) across the 2-hour periods centred on sunrise and sunset before work on the site started (baseline), and during operations, on-site and/or in the nearest noise-sensitive habitat to the most significant noise source; and/or Average noise level and/or frequency across the day (dB, Hz), before the work on the site started (baseline), and during operations, on-site and/or in the noise-sensitive habitat nearest the most significant noise source; and/or Average noise level and/or frequency (dB, Hz) before work on the site started (baseline) and at the noisiest period of the day during the operations, on-site and/or in the noise source; and/or Average noise level and/or in the noise-sensitive habitat nearest the most significant noise source; and/or Number of incidents where noise level exceeded local regulatory or international standards. 	GRI 101 TNFD
Impact driver	Resource use/ replenishment	CM.A3.0	Water replenishment	Total volume of water (m ³) that has been sustainably supplied, purified and/or conserved in the same watershed where the freshwater was withdrawn. This includes volume of water from watershed protection and restoration projects, from water access and sanitation to community projects and from water efficient agriculture and water efficient irrigation practices.	TNFD



Metric category	Metric subcategory	Metric No.	Cross-sector indicator	Additional sector metrics	Source
Response	Dependency, impact, risk and opportunity management: Changes to nature (dependency and impact): mitigation hierarchy steps	CM.A23.0	Circularity of material use	 Proportion (%) of all material inflows that are regeneratively produced. Proportion (%) of materials used that are recycled and reused input materials by significant categories of raw materials, renewable materials and manufactured products. Proportion (%) of total mass of materials, products and components/ systems used that have been reused, repurposed or remanufactured, either from existing infrastructure on-site being demolished, refurbishment, fit-out or from other buildings, third parties etc. 	GRI G4 Construction and real estate EN2 UK Green Building Council (2023) Ellen MacArthur Foundation (2020) Indicator 6a.
Response	Dependency, impact, risk and opportunity management: Value chain	CM.A22.0	Value chain certification	Proportion (%) of materials sold for which there is an Environmental Product Declaration (EPD) meeting any applicable industry standards.	TNFD

4. References

Bakri, A. Y. et al. (2022) <u>Cement Kiln Dust (CKD) Potential Beneficial Applications and Eco-</u> Sustainable Solutions. Sustainability 14(12), 7022.

Bennett, G. and Mulongoy, K. J. (2006) <u>Review of experience with ecological networks</u>, <u>corridors and buffer zones</u>. Secretariat of the Convention on Biological Diversity, Montreal, Technical Series No. 23.

BirdLife Europe and Central Asia et al. (2021) <u>Extractive Sector Species Protection Code of</u> <u>Conduct</u>. BirdLife Europe and Central Asia, CEMBUREAU, Eurogypsum, UEPG, European Aggregates Association.

Briffa, J. et al. (2020) <u>Heavy metal pollution in the environment and their toxicological effects</u> on humans. Heliyon 6(9) e04691.

CBD (2022) <u>Kunming-Montreal Global Biodiversity Framework</u>. Convention on Biological Diversity.

CEMBUREAU (2017) Invasive Alien Species – Guidance for the Cement Industry. European Cement Association.

CEMBUREAU (2022) Biodiversity Roadmap. European Cement Association.

Ciobanu, C. et al. (2021) <u>Dust Emission Monitoring in Cement Plant Mills: A Case Study in</u> <u>Romania</u>. International Journal of Environmental Research and Public Health 18(7), 9096.

Council Directive 92/43/EEC of 21 May 1992 on the conservation of natural habitats and of wild fauna and flora (1992) Official Journal L 206, 22/07/1992, 0007–0050.

Directive 2000/60/EC of the European Parliament and of the Council of 23 October 2000 establishing a framework for Community action in the field of water policy (2000) Official Journal L 327, 22/12/2000, 0001–0073.

Ekpo, F. (2013) Influence of heavy metals concentration in three common fish, sediment and water collected within quarry environment, Akamkpa L.G. area, Cross River State, Nigeria. European Journal of Toxicological Sciences 1.

Ellen MacArthur Foundation (2024) <u>Building Prosperity: unlocking the potential of a nature-</u> positive, circular economy for Europe.

Ellen MacArthur Foundation (2020) Circulytics.





ENCORE Partners (2024) <u>ENCORE: Exploring Natural Capital Opportunities, Risks and</u> <u>Exposure</u>. Global Canopy, United Nations Environment Programme Finance Initiative and United Nations Environment Programme World Conservation Monitoring Centre.

GCCA (no date) <u>Design for Disassembly</u>. Global Cement and Concrete Association.

GCCA (2018) <u>GCCA Sustainability Guidelines for co-processing fuels and raw materials in</u> <u>cement manufacturing</u>. Global Cement and Concrete Association.

GCCA (2019) <u>GCCA Sustainability Guidelines for the monitoring and reporting of emissions</u> from cement manufacturing. Global Cement and Concrete Association.

GCCA (2019) <u>GCCA Sustainability Guidelines for the monitoring and reporting of water in</u> <u>cement manufacturing</u>. Global Cement and Concrete Association.

GCCA (2020) <u>GCCA Sustainability Guidelines for quarry rehabilitation and biodiversity</u> <u>management</u>. Global Cement and Concrete Association.

GCCA (2021) The GCCA 2050 Cement and Concrete Industry Roadmap for Net Zero Concrete. Global Cement and Concrete Association.

GCCA (2023) <u>A commitment to biodiversity by the cement and concrete industry</u>. Global Cement and Concrete Association.

GCCA (2024) <u>GCCA Policy Document on Circular Economy</u>. Global Cement and Concrete Association.

GRI (2014) G4 Sector disclosures: Construction and real estate.

GRI (2018) GRI 303: Water and Effluents 2018.

GRI (2024) <u>GRI 101: Biodiversity 2024</u>.

GRI (2024) GRI 306: Effluents and Waste 2016.

GRI (2024) GRI Standards Glossary.

Gupta, R. K. et al. (2020) <u>Particulate matter and elemental emissions from a cement kiln</u>. Fuel Processing Technology, 343–351.

IBAT (2021) Species Threat Abatement and Restoration (STAR) data layer: Business User Guidance. Integrated Biodiversity Assessment Tool alliance.

Ipeaiyeda, A. R. and Obaje, G. M. (2016) <u>Impact of cement effluent on water quality of rivers:</u> <u>A case study of Onyi river at Obajana, Nigeria</u>. Cogent Environmental Science 3(1).

IUCN (2014) <u>Biodiversity management in the cement and aggregates sector: Integrated</u> <u>Biodiversity Management System (IBMS)</u>. International Union for Conservation of Nature.





IUCN (2020) IUCN EICAT Categories and Criteria: Environmental Impact Classification for Alien Taxa (EICAT). International Union for Conservation of Nature.

IUCN (2023) Urban Nature Indexes. International Union for Conservation of Nature.

Jordan, C. et al. (2019) Sand mining in the Mekong Delta revisited – current scales of local sediment deficits. Scientific Reports 9, 17823.

Katz-Lavigne, S. et al. (2021) Mapping Global Sand: Extraction, research and policy options. Governance in Conflict Network.

Keith, D. et al. (2020) IUCN Global Ecosystem Typology 2.0: descriptive profiles for biomes and ecosystem functional groups. International Union for Conservation of Nature.

Mayes, W. M. et al. (2008) Hydrogeochemistry of Alkaline Steel Slag Leachates in the UK. Water, Air, and Soil Pollution 195, 35–50.

Panagoda, S. S. et al. (2023) Cement Manufacturing Process and Its Environmental Impact. Journal of Research Technology and Engineering 4(3), 161–168.

Safe Drinking Water Foundation (2017) Mining and water pollution.

SASB (2018) SASB's Sustainable Industry Classification System (SICS). Sustainability Accounting Standards Board.

SASB Standards (2023) Construction Materials. Sustainability Accounting Standards Board.

SBTN (no date) Interim Targets. Science Based Targets Network.

SBTN (2023) High Impact Commodity List v1. Science Based Targets Network.

The Biodiversity Consultancy (no date) Net positive and the mitigation hierarchy.

UK Green Building Council (2023) Circular economy metrics for buildings.

UN (2015) Transforming our World: The 2030 Agenda for Sustainable Development. United Nations.

UNEP (no date) Integrated water resources management. United Nations Environment Programme.

UNEP (2022) Sand and Sustainability: 10 strategic recommendations to avert a crisis. United Nations Environment Programme.

UNEP (2023) Marine Sand Watch reveals massive extraction in the world's oceans. United Nations Environment Programme.

University of Illinois Urbana-Champlain (1995) Scientific principles.

UN Global Compact Water Resilience Coalition (no date) Net Positive Water Impact.





US Environmental Protection Agency (2021) Water quality.

USGS (2021) Karst Aquifers. United States Geological Survey.

Villagrán-Zaccardi, Y. A. et al. (2022) Complete re-utilization of waste concretes-Valorisation pathways and research needs. Resources, Conservation and Recycling 177, 105955.

Wałkuska, G. and Wilczek, A. (2010) Influence of Discharged Heated Water on Aquatic Ecosystem Fauna. Polish Journal of Environmental Studies 19(3), 547–552.

WEF (2023) Nature Positive: Role of the Cement and Concrete Sector. World Economic Forum.

WEF, BCG (2023) Scaling Low-Carbon Design and Construction with Concrete: Enabling the Path to Net-Zero for Buildings and Infrastructure. World Economic Forum, Boston Consulting Group.

WHO (2023) Dioxins. World Health Organization.

WWF (2018) Impacts of sand mining on ecosystem structure, process & biodiversity in rivers. World Wide Fund for Nature.



tnfd.global